



NATIONAL
ENVIRONMENTAL
TESTING, INC.

APR 20 1998

Indianapolis Division
6964 Hillside Ct.
Indianapolis, IN 46250
Tel: (317) 842-4261
Fax: (317) 842-4286

ANALYTICAL REPORT

Mr. Richard Tyler
MILBANK MANUFACTURING INC
1400 E. HAVENS ST.
KOKOMO, IN 56901-3188

04/14/1998

NET Job Number: 98.02383
Page 1 of 3

Enclosed are the Analytical Results for the following samples submitted to NET, Inc. Indianapolis Division for analysis:

Project Description: TWICE WEEKLY WASTEWATER

Sample Number	Sample Description	Date Taken	Date Received
204138	OUTFALL 001	04/07/1998	04/07/1998

National Environmental Testing, Inc. certifies that the analytical results contained herein apply only to the specific samples analyzed.

Reproduction of this analytical report is permitted only in its entirety.


Project Representative

MIL0004832



NATIONAL
ENVIRONMENTAL
TESTING, INC.

APR 20 1998

Indianapolis Division
6964 Hillsdale Ct.
Indianapolis, IN 46250
Tel: (317) 842-4261
Fax: (317) 842-4286

ANALYTICAL REPORT

Mr. Richard Tyler
MILBANK MANUFACTURING INC
1400 E. HAVENS ST.
KOKOMO, IN 56901-3188

04/14/1998

Job No.: 98.02383

Page 2 of 3

Date Received: 04/07/1998

Job Description: TWICE WEEKLY WASTEWATER

Sample Number / Sample I.D.			Sample Date/	Analyst &		Reporting
Parameters	Result	Flag	Units	Date Analyzed	Method	Limit
204138	OUTFALL 001		04/07/1998			
Iron, ICP	0.38		mg/L	tjg / 04/09/1998	E-200.7	<0.10
Lead, ICP	<0.080		mg/L	ddm / 04/09/1998	E-200.7	<0.080
Silver, ICP	0.029		mg/L	ddm / 04/09/1998	E-200.7	<0.010
Zinc, ICP	3.0		mg/L	ddm / 04/09/1998	E-200.7	<0.020

MIL0004833



NATIONAL
ENVIRONMENTAL
TESTING, INC.

APR 20 1998

Indianapolis Division
6964 Hillsdale Ct.
Indianapolis, IN 46250
Tel: (317) 842-4261
Fax: (317) 842-4286

FIELD REPORT

JOB #: 98.02383
CLIENT: MILBANK MFG.
PROJECT: TWICE WEEKLY WASTEWATER
DATE: 4/07/98
SAMPLER(S): MTM

An ISCO model 2910 auto sampler was used in the composite mode of operation. The sampler was equipped with a plastic composite jug, tygon suction line, battery, ice, and strainer.

All reusable equipment is decontaminated withalconox, tap water, 5% nitric acid, and deionized water. New tygon suction tubing was used for the sampler. A stainless steel strainer was also used for the sampling event.

The sampler was set to take a sample every 30 minutes for 24 hours.

Monitoring start 8:00 on 4/06/98
Monitoring end 8:00 on 4/07/98

The composite sample was slightly cloudy, light brown color.

Notes: Samples were preserved, in the field, in the appropriate containers with any required preservative.

MIL0004834



COMPANY MILBANK

ADDRESS 1400 E. HAVENS ST. 96

PHONE _____ FAX _____

PROJECT NAME/LOCATION TWICE WEEKLY WASTEWATER

PROJECT NUMBER

PROJECT MANAGER

REPORT TO: RICHARD TYLER

INVOICE TO:

P.O. NO.

NET QUOTE NO. 98.0060

SAMPLED BY

Michael Meyer
(PRINT NAME)

(PRINT NAME)

SIGNATURE

SIGNATURE

and Type of Containers

ANALYSES

To assist us in selecting the proper method

Is this work being conducted for regulatory compliance monitoring?

Yes _____ No _____

Is this work being conducted for regulatory enforcement action?

Yes _____ No _____

Which regulations apply: RCRA _____ NPDES Wastewater _____

UST Drinking Water

Other _____ Drinking Water _____
None _____

COMMENTS

[illegible]

CONDITION OF SAMPLE: BOTTLES INTACT? YES / NO
FIELD FILTERED? YES / NO

COC SEALS PRESENT AND INTACT? ~~YES / NO~~
VOLATILES FREE OF HEADSPACE? YES / NO

TEMPERATURE UPON RECEIPT: 1.6°C
Bottles supplied by NET? YES / NO

SAMPLE REMAINDER DISPOSAL: RETURN SAMPLE REMAINDER TO CLIENT VIA _____
I REQUEST NET TO DISPOSE OF ALL SAMPLE REMAINDERS _____

DATE _____

RELINQUISHED BY:

DATE _____

TIME

RECEIVED BY:

RELINQUISHED BY:

DATE _____

TIME

RECEIVED FOR NET BY:

METHOD OF SHIPMENT

REMARKS: